





How to choose the style of bearing for your application depending on loads and speeds

Bearing Style	Self Aligning	Can be sealed	High Radial Loads	High Axial Loads	Oil Lubrication	Grease Lubrication	Ultra High RPM With Oil Lubrication and Open
Spherical	YES	YES	YES	25% of Radial	YES	YES	NO
Self Aligning double row ball bearing	YES	NO	NO	10% of Radial	YES	YES	YES
Taper Roller Bearing	NO	NO	YES	80% of Radial	YES	YES	NO
NJ Style Cylindrical Roller Bearing	NO	NO	YES	20% of Radial	YES	YES	Yes, Greater Than both Taper roller and Spherical Roller
Single Row Ball Bearing	NO	YES	NO	25% of Radial	YES	YES	YES
Angular Contact Ball Bearing	NO	NO	NO	50% of Radial	YES	YES	YES


PHONE: (503)397-9721

EMAIL: sales@billetextreme.com

WEBSITE: www.billetextreme.com






BILLET STEEL
2BOLT PILLOW
BLOCK
BX-2BPB
S-2000





2BOLT PILLOW BLOCK

BX-2BPB-XXX



SHAFT DIA.	PART NUMBER	WEIGHT LBS.	A	B		C	D	E	F	G	H BOLT Ø	I
				MIN	MAX							
1 7/16"	BX-2BPB-107	6.5	6 7/8"	4 11/16"	5 5/16"	1 3/16"	1 7/8"	3 7/8"	2 1/8"	1 3/4"	1/2"	2 3/4"
1 1/2"	BX-2BPB-108	6.5	175mm	119mm	135mm	30mm	48mm	98mm	54mm	44mm	13mm	70mm
1 11/16"	BX-2BPB-111	8.5	7 3/8"	5 3/16"	5 13/16"	1 5/16"	2 1/8"	4 1/4"	2 1/8"	1 7/8"	1/2"	2 7/8"
45mm	BX-2BPB-45MM	8.5	187mm	132mm	148mm	33mm	54mm	108mm	54mm	48mm	13mm	73mm
1 3/4"	BX-2BPB-112	8.5										
1 7/8"	BX-2BPB-114	10.5										
1 15/16"	BX-2BPB-115	10.5	8 3/8"	5 15/16"	6 9/16"	1 3/8"	2 1/4"	4 5/8"	2 3/8"	1 7/8"	5/8"	2 7/8"
50mm	BX-2BPB-50MM	10.5	213mm	151mm	167mm	35mm	57mm	117mm	60mm	48mm	16mm	73mm
2.00"	BX-2BPB-200	10.5										
2 3/16"	BX-2BPB-203	12										
2 1/4"	BX-2BPB-204	12	8 7/8"	6 7/16"	7 1/16"	1 5/8"	2 1/2"	5"	2 3/8"	2"	5/8"	3 1/8"
55mm	BX-2BPB-55MM	12	225mm	164mm	179mm	41mm	64mm	127mm	60mm	51mm	16mm	79mm
2 3/8"	BX-2BPB-206	12										
2 7/16"	BX-2BPB-207	17.5										
2 1/2"	BX-2BPB-208	17.5	9 1/4"	6 13/16"	7 7/16"	1 3/4"	2 3/4"	5 11/16"	2 5/8"	2 1/8"	5/8"	3 3/8"
60mm	BX-2BPB-60MM	17.5	235mm	173mm	189mm	44mm	70mm	144mm	67mm	54mm	16mm	86mm
2 5/8"	BX-2BPB-210	17.5										
65mm	BX-2BPB-65MM	18										
2 11/16"	BX-2BPB-211	23										
70mm	BX-2BPB-70MM	23										
2 3/4"	BX-2BPB-212	23	10 1/2"	7 13/16"	8 7/16"	2 1/4"	3 1/4"	6 7/16"	2 5/8"	2 3/8"	3/4"	3 5/8"
2 15/16"	BX-2BPB-215	23	267mm	198mm	214mm	57mm	83mm	164mm	67mm	60mm	19mm	92mm
75mm	BX-2BPB-75MM	23										
3.00"	BX-2BPB-300	23										
85mm	BX-2BPB-85MM	33.5										
3 7/16"	BX-2BPB-307	33.5	13"	9 1/4"	10 3/4"	2 1/4"	3 3/4"	7 1/2"	3"	2 5/8"	7/8"	4 1/32"
90mm	BX-2BPB-90MM	33.5	330mm	235mm	273mm	57mm	95mm	191mm	76mm	67mm	22mm	102mm
3 1/2"	BX-2BPB-308	33.5										
3 11/16"	BX-2BPB-311	48.5										
95mm	BX-2BPB-95MM	48.5										
3 3/4"	BX-2BPB-312	48.5	14 1/4"	10"	11 3/4"	2 1/2"	4 1/8"	8 7/16"	3 3/8"	3"	1"	4 19/32"
3 15/16"	BX-2BPB-315	48.5	362mm	254mm	298mm	64mm	105mm	214mm	86mm	76mm	25mm	117mm
100mm	BX-2BPB-100MM	48.5										
4.00"	BX-2BPB-400	48.5										
PHONE: (503)397-9721			EMAIL: sales@billetextreme.com					WEBSITE: www.billetextreme.com				



INTERCHANGE

2 BOLT PILLOW BLOCK

SHAFT DIA.	PART #	WEIGHT (LBS)	JONES	REX	LINKBELT	DODGE	SKF	QM / TIMKEN
1 7/16"	BX-2BPB-107	6.5	JA2107	ZA2107	PB22423H	EP2B-S2-107R	SYR 1 7/16"	QAPL08A107SB
1 1/2"	BX-2BPB-108	6.5	JA2108	ZA2108	PB22424H	EP2B-S2-108R	SYR 1 1/2"	QAPL08A108SB
1 11/16"	BX-2BPB-111	8.5	JA2111	ZA2111	PB22427H	EP2B-S2-111R	SYR 1 11/16"	QAPL09A111SB
45mm	BX-2BPB-45MM	8.5						QAPL09A045SB
1 3/4"	BX-2BPB-112	8.5	JA2112	ZA2112	PB22428H	EP2B-S2-112R	SYR 1 3/4"	QAPL09A112SB
1 7/8"	BX-2BPB-114	10.5						
1 15/16"	BX-2BPB-115	10.5	JA2115	ZA2115	PB22431H	EP2B-S2-115R	SYR 1 15/16"	QAPL10A115SB
50mm	BX-2BPB-50MM	10.5						QAPL10A050SB
2.00"	BX-2BPB-200	10.5	JA2200	ZA2200	PB22432H	EP2B-S2-200R	SYR 2"	QAPL10A200SB
2 3/16"	BX-2BPB-203	12	JA2203	ZA2203	PB22435H	EP2B-S2-203R	SYR 2 3/16"	QAPL11A203SB
2 1/4"	BX-2BPB-204	12						QAPL11A204SB
55mm	BX-2BPB-55MM	12						QAPL11A055SB
2 3/8"	BX-2BPB-206	12						QAPL13A206SB
2 7/16"	BX-2BPB-207	17.5	JA2207	ZA2207	PB22439H	EP2B-S2-207R	SYR 2 7/16"	QAPL13A207SB
2 1/2"	BX-2BPB-208	17.5	JA2208	ZA2208	PB22440H	EP2B-S2-208R	SYR 2 1/2"	QAPL13A208SB
60mm	BX-2BPB-60MM	17.5						QAPL13A060SB
2 5/8"	BX-2BPB-210	17.5						
65mm	BX-2BPB-65MM	18						QAPL13A065SB
2 11/16"	BX-2BPB-211	23	JA2211	ZA2211	PB22443H	EP2B-S2-211R	SYR 2 11/16"	QAPL15A211SB
70mm	BX-2BPB-70MM	23						QAPL15A070SB
2 3/4"	BX-2BPB-212	23	JA2212	ZA2212	PB22444H	EP2B-S2-212R	SYR 2 3/4"	QAPL15A212SB
2 15/16"	BX-2BPB-215	23	JA2215	ZA2215	PB22447H	EP2B-S2-215R	SYR 2 15/16"	QAPL15A215SB
75mm	BX-2BPB-75MM	23						QAPL15A075SB
3.00"	BX-2BPB-300	23	JA2300	ZA2300	PB22448H	EP2B-S2-300R	SYR 3"	QAPL15A300SB
85mm	BX-2BPB-85MM	33.5						QAPL18A085SB
3 7/16"	BX-2BPB-307	33.5	JA2307	ZA2307	PB22455H	EP2B-S2-307R	SYR 3 7/16"	QAPL18A307SB
90mm	BX-2BPB-90MM	33.5						QAPL18A090SB
3 1/2"	BX-2BPB-308	33.5	JA2308	ZA2308	PB22456H	EP2B-S2-308R	SYR 3 1/2"	QAPL18A308SB
3 11/16"	BX-2BPB-311	48.5	JA2311	ZA2311	PB22459H	EP2B-S2-311R	SYR 3 11/16"	QAPL20A311SB
95mm	BX-2BPB-95MM	48.5						
3 3/4"	BX-2BPB-312	48.5						QAPL20A312SB
3 15/16"	BX-2BPB-315	48.5	JA2315	ZA2315	PB22463H	EP2B-S2-315R	SYR 3 15/16"	QAPL20A315SB
100mm	BX-2BPB-100MM	48.5						QAPL20A100SB
4.00"	BX-2BPB-400	48.5	JA2400	ZA2400	PB22464H	EP2B-S2-400R	SYR 4"	QAPL20A400SB

PHONE: (503)397-9721

EMAIL: sales@billetextreme.com

WEBSITE: www.billetextreme.com



LOAD RATING & SPEED RATINGS

PAGE 1

SPHERICAL ROLLER & SELF ALIGNING DOUBLE ROW BALL BEARING

shaft size	spherical roller bearing available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM	self aligning double row ball available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 pieces				2 pieces			
1 7/16" (107)	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
108= 1 1/2"	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
111= 1 11/16"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
45mm	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
112= 1 3/4"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
114= 1 7/8"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
115= 1 15/16"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
50mm	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
200= 2.00"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
203= 2 3/16"	22212E	74,636	71,490	5,600	2212C3	7,644	21,942	8,000
204= 2 1/4"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
55mm	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
206= 2 3/8"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
207= 2 7/16"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
208= 2 1/2"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
60mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
210= 2 5/8"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
65mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
211= 2 11/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
70mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
212= 2 3/4"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
215= 2 15/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
75mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
300= 3.00"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
85mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
307+ 3 7/16"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
90mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
308= 3 1/2"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
311= 3 11/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
95mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
312= 3 3/4"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
315= 3 15/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
100mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
400= 4.00"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300



LOAD RATING & SPEED RATINGS

PAGE 2

TAPER ROLLER & CYLINDRICAL ROLLER BEARING

shaft size	taper roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		cylindrical roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 PIECES			
1 7/16" (107)	32209	44062	44378	6,300		NJ2209EC3	36322	38218	9,000
108= 1 1/2"	32209	44062	44378	6300		NJ2209EC3	36322	38218	9000
111= 1 11/16"	32210	44962	45412	6,000		NJ2210EC3	39566	40466	8,500
45mm	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
112= 1 3/4"	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
114= 1 7/8"	32211	58000	58450	5,300		NJ2211EC3	53054	51628	7,500
115= 1 15/16"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
50mm	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
200= 2.00"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
203- 2 3/16"	32212	71938	69690	5,000		NJ2212EC3	68792	65644	6,700
204= 2 1/4"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
55mm	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
206= 2 3/8"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
207= 2 7/16"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6,000
208= 2 1/2"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
60mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
210= 2 5/8"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
65mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
211= 2 11/16"	32216	110156	102512	3,800		NJ2216EC3	110156	95318	5,300
70mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
212= 2 3/4"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
215= 2 15/16"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
75mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
300= 3.00"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
85mm	32220	197832	175350	3,000		NJ2220EC3	202328	170854	4,000
307+ 3 7/16"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
90mm	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
308= 3 1/2"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
311= 3 11/16"	32222	251786	220762	3,000		NJ2222EC3	233802	197832	3600
95mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
312= 3 3/4"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
315= 3 15/16"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
100mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
400= 4.00"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600




LOAD RATING & SPEED RATINGS

DEEP GROOVE & ANGLAR CONTACT BALL BEARINGS

shaft size	deep groove ball bearing available open and sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		angular contact ball bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 pieces			
1 7/16" (107)	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
108= 1 1/2"	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
111= 1 11/16"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
45mm	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
112= 1 3/4"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
114= 1 7/8"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
115= 1 15/16"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
50mm	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
200= 2.00"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
203- 2 3/16"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
204'= 2 1/4"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
55mm	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
206= 2 3/8"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
207= 2 7/16"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
208= 2 1/2"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
60mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
210= 2 5/8"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
65mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
211= 2 11/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
70mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
212= 2 3/4"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
215= 2 15/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
75mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
300= 3.00"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
85mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
307+ 3 7/16"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
90mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
308= 3 1/2"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
311= 3 11/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
95mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
312= 3 3/4"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
315= 3 15/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
100mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
400= 4.00"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000






BILLET STEEL
4BOLT PILLOW
BLOCK
BX-4BPB
S-2000





2BOLT PILLOW BLOCK

BX-2BPB-XXX



SHAFT DIA.	PART NUMBER	WEIGHT LBS.	A	B		C	D	E	F	G	H BOLT Ø	I
				MIN	MAX							
1 7/16"	BX-4BPB-107	6.5	6 7/8"	4 11/16"	5 5/16"	1 3/16"	1 7/8"	3 7/8"	2 1/8"	1 3/4"	1/2"	2 3/4"
1 1/2"	BX-4BPB-108	6.5	175mm	119mm	135mm	30mm	48mm	98mm	54mm	44mm	13mm	70mm
1 11/16"	BX-4BPB-111	8.5	7 3/8"	5 3/16"	5 13/16"	1 5/16"	2 1/8"	4 1/4"	2 1/8"	1 7/8"	1/2"	2 7/8"
45mm	BX-4BPB-45MM	8.5	187mm	132mm	148mm	33mm	54mm	108mm	54mm	48mm	13mm	73mm
1 3/4"	BX-4BPB-112	8.5										
1 7/8"	BX-4BPB-114	10.5										
1 15/16"	BX-4BPB-115	10.5	8 3/8"	5 15/16"	6 9/16"	1 3/8"	2 1/4"	4 5/8"	2 3/8"	1 7/8"	5/8"	2 7/8"
50mm	BX-4BPB-50MM	10.5	213mm	151mm	167mm	35mm	57mm	117mm	60mm	48mm	16mm	73mm
2.00"	BX-4BPB-200	10.5										
2 3/16"	BX-4BPB-203	12										
2 1/4"	BX-4BPB-204	12	8 7/8"	6 7/16"	7 1/16"	1 5/8"	2 1/2"	5"	2 3/8"	2"	5/8"	3 1/8"
55mm	BX-4BPB-55MM	12	225mm	164mm	179mm	41mm	64mm	127mm	60mm	51mm	16mm	79mm
2 3/8"	BX-4BPB-206	12										
2 7/16"	BX-4BPB-207	17.5										
2 1/2"	BX-4BPB-208	17.5										
60mm	BX-4BPB-60MM	17.5	9 1/4"	6 13/16"	7 7/16"	1 3/4"	2 3/4"	5 11/16"	2 5/8"	2 1/8"	5/8"	3 3/8"
2 5/8"	BX-4BPB-210	17.5	235mm	173mm	189mm	44mm	70mm	144mm	67mm	54mm	16mm	86mm
65mm	BX-4BPB-65MM	18										
2 11/16"	BX-4BPB-211	23										
70mm	BX-4BPB-70MM	23										
2 3/4"	BX-4BPB-212	23	10 1/2"	7 13/16"	8 7/16"	2 1/4"	3 1/4"	6 7/16"	2 5/8"	2 3/8"	3/4"	3 5/8"
2 15/16"	BX-4BPB-215	23	267mm	198mm	214mm	57mm	83mm	164mm	67mm	60mm	19mm	92mm
75mm	BX-4BPB-75MM	23										
3.00"	BX-4BPB-300	23										
85mm	BX-4BPB-85MM	33.5										
3 7/16"	BX-4BPB-307	33.5	13"	9 1/4"	10 3/4"	2 1/4"	3 3/4"	7 1/2"	3"	2 5/8"	7/8"	4 1/32"
90mm	BX-4BPB-90MM	33.5	330mm	235mm	273mm	57mm	95mm	191mm	76mm	67mm	22mm	102mm
3 1/2"	BX-4BPB-308	33.5										
3 11/16"	BX-4BPB-311	48.5										
95mm	BX-4BPB-95MM	48.5										
3 3/4"	BX-4BPB-312	48.5	14 1/4"	10"	11 3/4"	2 1/2"	4 1/8"	8 7/16"	3 3/8"	3"	1"	4 19/32"
3 15/16"	BX-4BPB-315	48.5	362mm	254mm	298mm	64mm	105mm	214mm	86mm	76mm	25mm	117mm
100mm	BX-4BPB-100MM	48.5										
4.00"	BX-4BPB-400	48.5										
PHONE: (503)397-9721			EMAIL: sales@billetextreme.com					WEBSITE: www.billetextreme.com				



INTERCHANGE

2 BOLT PILLOW BLOCK

SHAFT DIA.	PART #	WEIGHT (LBS)	JONES	REX	LINKBELT	DODGE	SKF	QM / TIMKEN
1 7/16"	BX-4BPB-107	6.5	JA2107	ZA2107	PB22423H	EP2B-S2-107R	SYR 1 7/16"	QAPL08A107SB
1 1/2"	BX-4BPB-108	6.5	JA2108	ZA2108	PB22424H	EP2B-S2-108R	SYR 1 1/2"	QAPL08A108SB
1 11/16"	BX-4BPB-111	8.5	JA2111	ZA2111	PB22427H	EP2B-S2-111R	SYR 1 11/16"	QAPL09A111SB
45mm	BX-4BPB-45MM	8.5						QAPL09A045SB
1 3/4"	BX-4BPB-112	8.5	JA2112	ZA2112	PB22428H	EP2B-S2-112R	SYR 1 3/4"	QAPL09A112SB
1 7/8"	BX-4BPB-114	10.5						
1 15/16"	BX-4BPB-115	10.5	JA2115	ZA2115	PB22431H	EP2B-S2-115R	SYR 1 15/16"	QAPL10A115SB
50mm	BX-4BPB-50MM	10.5						QAPL10A050SB
2.00"	BX-4BPB-200	10.5	JA2200	ZA2200	PB22432H	EP2B-S2-200R	SYR 2"	QAPL10A200SB
2 3/16"	BX-4BPB-203	12	JA2203	ZA2203	PB22435H	EP2B-S2-203R	SYR 2 3/16"	QAPL11A203SB
2 1/4"	BX-4BPB-204	12						QAPL11A204SB
55mm	BX-4BPB-55MM	12						QAPL11A055SB
2 3/8"	BX-4BPB-206	12						QAPL13A206SB
2 7/16"	BX-4BPB-207	17.5	JA2207	ZA2207	PB22439H	EP2B-S2-207R	SYR 2 7/16"	QAPL13A207SB
2 1/2"	BX-4BPB-208	17.5	JA2208	ZA2208	PB22440H	EP2B-S2-208R	SYR 2 1/2"	QAPL13A208SB
60mm	BX-4BPB-60MM	17.5						QAPL13A060SB
2 5/8"	BX-4BPB-210	17.5						
65mm	BX-4BPB-65MM	18						QAPL13A065SB
2 11/16"	BX-4BPB-211	23	JA2211	ZA2211	PB22443H	EP2B-S2-211R	SYR 2 11/16"	QAPL15A211SB
70mm	BX-4BPB-70MM	23						QAPL15A070SB
2 3/4"	BX-4BPB-212	23	JA2212	ZA2212	PB22444H	EP2B-S2-212R	SYR 2 3/4"	QAPL15A212SB
2 15/16"	BX-4BPB-215	23	JA2215	ZA2215	PB22447H	EP2B-S2-215R	SYR 2 15/16"	QAPL15A215SB
75mm	BX-4BPB-75MM	23						QAPL15A075SB
3.00"	BX-4BPB-300	23	JA2300	ZA2300	PB22448H	EP2B-S2-300R	SYR 3"	QAPL15A300SB
85mm	BX-4BPB-85MM	33.5						QAPL18A085SB
3 7/16"	BX-4BPB-307	33.5	JA2307	ZA2307	PB22455H	EP2B-S2-307R	SYR 3 7/16"	QAPL18A307SB
90mm	BX-4BPB-90MM	33.5						QAPL18A090SB
3 1/2"	BX-4BPB-308	33.5	JA2308	ZA2308	PB22456H	EP2B-S2-308R	SYR 3 1/2"	QAPL18A308SB
3 11/16"	BX-4BPB-311	48.5	JA2311	ZA2311	PB22459H	EP2B-S2-311R	SYR 3 11/16"	QAPL20A311SB
95mm	BX-4BPB-95MM	48.5						
3 3/4"	BX-4BPB-312	48.5						QAPL20A312SB
3 15/16"	BX-4BPB-315	48.5	JA2315	ZA2315	PB22463H	EP2B-S2-315R	SYR 3 15/16"	QAPL20A315SB
100mm	BX-4BPB-100MM	48.5						QAPL20A100SB
4.00"	BX-4BPB-400	48.5	JA2400	ZA2400	PB22464H	EP2B-S2-400R	SYR 4"	QAPL20A400SB

PHONE: (503)397-9721

EMAIL: sales@billetextreme.com

WEBSITE: www.billetextreme.com



LOAD RATING & SPEED RATINGS

PAGE 1

SPHERICAL ROLLER & SELF ALIGNING DOUBLE ROW BALL BEARING

shaft size	spherical roller bearing available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM	self aligning double row ball available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 pieces				2 pieces			
1 7/16" (107)	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
108= 1 1/2"	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
111= 1 11/16"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
45mm	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
112= 1 3/4"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
114= 1 7/8"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
115= 1 15/16"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
50mm	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
200= 2.00"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
203= 2 3/16"	22212E	74,636	71,490	5,600	2212C3	7,644	21,942	8,000
204= 2 1/4"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
55mm	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
206= 2 3/8"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
207= 2 7/16"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
208= 2 1/2"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
60mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
210= 2 5/8"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
65mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
211= 2 11/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
70mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
212= 2 3/4"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
215= 2 15/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
75mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
300= 3.00"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
85mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
307+ 3 7/16"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
90mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
308= 3 1/2"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
311= 3 11/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
95mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
312= 3 3/4"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
315= 3 15/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
100mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
400= 4.00"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300



LOAD RATING & SPEED RATINGS

PAGE 2

TAPER ROLLER & CYLINDRICAL ROLLER BEARING

shaft size	taper roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		cylindrical roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
2 PIECES						2 PIECES			
1 7/16" (107)	32209	44062	44378	6,300		NJ2209EC3	36322	38218	9,000
108= 1 1/2"	32209	44062	44378	6300		NJ2209EC3	36322	38218	9000
111= 1 11/16"	32210	44962	45412	6,000		NJ2210EC3	39566	40466	8,500
45mm	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
112= 1 3/4"	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
114= 1 7/8"	32211	58000	58450	5,300		NJ2211EC3	53054	51628	7,500
115= 1 15/16"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
50mm	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
200= 2.00"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
203- 2 3/16"	32212	71938	69690	5,000		NJ2212EC3	68792	65644	6,700
204= 2 1/4"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
55mm	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
206= 2 3/8"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
207= 2 7/16"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6,000
208= 2 1/2"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
60mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
210= 2 5/8"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
65mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
211= 2 11/16"	32216	110156	102512	3,800		NJ2216EC3	110156	95318	5,300
70mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
212= 2 3/4"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
215= 2 15/16"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
75mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
300= 3.00"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
85mm	32220	197832	175350	3,000		NJ2220EC3	202328	170854	4,000
307+ 3 7/16"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
90mm	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
308= 3 1/2"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
311= 3 11/16"	32222	251786	220762	3,000		NJ2222EC3	233802	197832	3600
95mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
312= 3 3/4"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
315= 3 15/16"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
100mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
400= 4.00"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600




LOAD RATING & SPEED RATINGS

DEEP GROOVE & ANGLAR CONTACT BALL BEARINGS

shaft size	deep groove ball bearing available open and sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		angular contact ball bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 pieces			
1 7/16" (107)	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
108= 1 1/2"	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
111= 1 11/16"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
45mm	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
112= 1 3/4"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
114= 1 7/8"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
115= 1 15/16"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
50mm	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
200= 2.00"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
203- 2 3/16"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
204'= 2 1/4"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
55mm	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
206= 2 3/8"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
207= 2 7/16"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
208= 2 1/2"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
60mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
210= 2 5/8"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
65mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
211= 2 11/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
70mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
212= 2 3/4"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
215= 2 15/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
75mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
300= 3.00"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
85mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
307+ 3 7/16"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
90mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
308= 3 1/2"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
311= 3 11/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
95mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
312= 3 3/4"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
315= 3 15/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
100mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
400= 4.00"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000

BILLET XTREME






BILLET STEEL
PILOTED FLANGE
BX-PF S-2000



Piloted Flange Bearing

BX-PF-XXX



SHAFT DIA.	ASSEMBLY DESIGNATION	TOTAL WEIGHT LBS.	A	B	C	D	E	F	G	H	I	J	K BOLT Ø	L
1 7/16"	BX-PF-107	6.3	5 1/4"	4 3/8"	23/32"	3/4"	2 1/4"	2 57/64"	1/2"	3.625	2 3/4"	25/64"	3/8"	3 3/32"
1 1/2"	BX-PF-108		133mm	111mm	18mm	19mm	57mm	73mm	13mm		70mm	10mm	10mm	79mm
1 11/16"	BX-PF-111	7.75												
45mm	BX-PF-45MM		6 1/8"	5 1/8"	5/8"	7/8"	2 1/2"	3 5/32"	1/2"	4.25	2 7/8"	19/32"	7/16"	3 5/8"
1 3/4"	BX-PF-112		156mm	130mm	16mm	22mm	64mm	80mm	13mm		73mm	15mm	11mm	92mm
1 7/8"	BX-PF-114													
1 15/16"	BX-PF-115	8.5	6 3/8"	5 3/8"	5/8"	7/8"	2 1/2"	3 5/32"	9/16"	4.5	2 7/8"	19/32"	7/16"	3 51/64"
50mm	BX-PF-50MM		162mm	137mm	16mm	22mm	64mm	80mm	14mm		73mm	15mm	11mm	96mm
2.00"	BX-PF-200													
2 3/16"	BX-PF-203	11												
2 1/4"	BX-PF-204		7 1/8"	6"	23/32"	1"	2 9/16"	3 5/16"	9/16"	5	3 1/8"	17/32"	1/2"	4 1/4"
55mm	BX-PF-55MM		181mm	152mm	18mm	25mm	65mm	84mm	14mm		79mm	14mm	13mm	108mm
2 3/8"	BX-PF-206													
2 7/16"	BX-PF-207	14												
2 1/2"	BX-PF-208		7 5/8"	6 1/2"	13/16"	1"	2 5/8"	3 1/2"	5/8"	5.5	3 3/8"	7/16"	1/2"	4 9/32"
60mm	BX-PF-60MM		194mm	165mm	21mm	25mm	67mm	90mm	16mm		86mm	11mm	13mm	109mm
2 5/8"	BX-PF-210													
65mm	BX-PF-65MM													
2 11/16"	BX-PF-211	20.5												
70mm	BX-PF-70MM		8 3/4"	7 1/2"	13/16"	1 1/4"	3 1/8"	3 29/32"	11/16"	6.375	3 5/8"	25/32"	5/8"	5 19/64"
2 3/4"	BX-PF-212	19.5	222mm	191mm	21mm	32mm	79mm	99mm	18mm		92mm	20mm	16mm	135mm
2 15/16"	BX-PF-215													
75mm	BX-PF-75MM													
3.00"	BX-PF-300													
85mm	BX-PF-85MM													
3 7/16"	BX-PF-307	32	10 1/4"	8 5/8"	1 1/16"	1 1/4"	3 3/16"	4 7/32"	7/8"	7.375	4 1/32"	1/2"	3/4"	6 3/32"
90mm	BX-PF-90MM		260mm	219mm	27mm	32mm	81mm	107mm	22mm		102mm	13mm	19mm	155mm
3 1/2"	BX-PF-308													
3 11/16"	BX-PF-311	41												
95mm	BX-PF-95MM													
3 3/4"	BX-PF-312		10 7/8"	9 3/8"	1"	2"	3 5/8"	4 13/16"	7/8"	8.125	4 19/32"	25/32"	3/4"	6 5/8"
3 15/16"	BX-PF-315		276mm	238mm	25mm	51mm	92mm	122mm	22mm		117mm	20mm	19mm	168mm
100mm	BX-PF-100MM													
4.00"	BX-PF-400													
PHONE: (503)397-9721			EMAIL: sales@billetextreme.com						WEBSITE: www.billetextreme.com					



INTERCHANGE

PILOTED FLANGE

SHAFT DIA.	PART #	WEIGHT (LBS)	JONES	REX	LINKBELT	DODGE	SKF	QM / TIMKEN
1 7/16"	BX-PF-107	6.3	JYRP2107	ZBR2107	FBC22423H	FC-S2-107R	FYRP 1 7/16"	QACW08A107SB
1 1/2"	BX-PF-108	6.3	JYRP2108	ZBR2108	FBC22424H	FC-S2-108R	FYRP 1 1/2"	QACW08A108SB
1 11/16"	BX-PF-111	7.5	JYRP2111	ZBR2111	FBC22427H	FC-S2-111R	FYRP 1 11/16"	QACW09A111SB
45mm	BX-PF-45MM	7.5						QACW09A045SB
1 3/4"	BX-PF-112	7.5	JYRP2112	ZBR2112	FBC22428H	FC-S2-112R	FYRP 1 3/4"	QACW09A112SB
1 7/8"	BX-PF-114	8.5						
1 15/16"	BX-PF-115	8.5	JYRP2115	ZBR2115	FBC22431H	FC-S2-115R	FYRP 1 15/16"	QACW10A115SB
50mm	BX-PF-50MM	8.5						QACW10A050SB
2.00"	BX-PF-200	8.5	JYRP2200	ZBR2200	FBC22432H	FC-S2-200R	FYRP 2"	QACW10A200SB
2 3/16"	BX-PF-203	11	JYRP2203	ZBR2203	FBC22435H	FC-S2-203R	FYRP 2 3/16"	QACW11A203SB
2 1/4"	BX-PF-204	14						QACW11A204SB
55mm	BX-PF-55MM	14						QACW11A055SB
2 3/8"	BX-PF-206	14						QACW13A206SB
2 7/16"	BX-PF-207	14	JYRP2207	ZBR2207	FBC22439H	FC-S2-207R	FYRP 2 7/16"	QACW13A207SB
2 1/2"	BX-PF-208	14	JYRP2208	ZBR2208	FBC22440H	FC-S2-208R	FYRP 2 1/2"	QACW13A208SB
60mm	BX-PF-60MM	20.5						QACW13A060SB
2 5/8"	BX-PF-210	20.5						
65mm	BX-PF-65MM	20.5						QACW13A065SB
2 11/16"	BX-PF-211	20.5	JYRP2211	ZBR2211	FBC22443H	FC-S2-211R	FYRP 2 11/16"	QACW15A211SB
70mm	BX-PF-70MM	20.5						QACW15A070SB
2 3/4"	BX-PF-212	20.5	JYRP2212	ZBR2212	FBC22444H	FC-S2-212R	FYRP 2 3/4"	QACW15A212SB
2 15/16"	BX-PF-215	19.5	JYRP2215	ZBR2215	FBC22447H	FC-S2-215R	FYRP 2 15/16"	QACW15A215SB
75mm	BX-PF-75MM	19.5						QACW15A075SB
3.00"	BX-PF-300	19.5	JYRP2300	ZBR2300	FBC22448H	FC-S2-300R	FYRP 3"	QACW15A300SB
85mm	BX-PF-85MM	32						QACW18A085SB
3 7/16"	BX-PF-307	32	JYRP2307	ZBR2307	FBC22455H	FC-S2-307R	FYRP 3 7/16"	QACW18A307SB
90mm	BX-PF-90MM	32						QACW18A090SB
3 1/2"	BX-PF-308	32	JYRP2308	ZBR2308	FBC22456H	FC-S2-308R		QACW18A308SB
3 11/16"	BX-PF-311	41	JYRP2311	ZBR2311	FBC22459H	FC-S2-311R		QACW20A311SB
95mm	BX-PF-95MM	41						
3 3/4"	BX-PF-312	41						QACW20A312SB
3 15/16"	BX-PF-315	41	JYRP2315	ZBR2315	FBC22463H	FC-S2-315R		QACW20A315SB
100mm	BX-PF-100MM	41						QACW20A100SB
4.00"	BX-PF-400	41	JYRP2400	ZBR2400	FBC22464H	FC-S2-400R		QACW20A400SB
4 7/16"		64	JYRP5407	ZBR5407Y		FC-S2-407R		
4 15/16"		72	JYRP5415	ZBR5415		FC-S2-415R		
PHONE: (503)397-9721			EMAIL: sales@billetextreme.com			WEBSITE: www.billetextreme.com		



LOAD RATING & SPEED RATINGS

PAGE 1

SPHERICAL ROLLER & SELF ALIGNING DOUBLE ROW BALL BEARING

shaft size	spherical roller bearing available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM	self aligning double row ball available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 pieces				2 pieces			
1 7/16" (107)	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
108= 1 1/2"	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
111= 1 11/16"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
45mm	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
112= 1 3/4"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
114= 1 7/8"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
115= 1 15/16"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
50mm	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
200= 2.00"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
203= 2 3/16"	22212E	74,636	71,490	5,600	2212C3	7,644	21,942	8,000
204= 2 1/4"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
55mm	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
206= 2 3/8"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
207= 2 7/16"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
208= 2 1/2"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
60mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
210= 2 5/8"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
65mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
211= 2 11/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
70mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
212= 2 3/4"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
215= 2 15/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
75mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
300= 3.00"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
85mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
307+ 3 7/16"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
90mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
308= 3 1/2"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
311= 3 11/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
95mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
312= 3 3/4"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
315= 3 15/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
100mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
400= 4.00"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300



LOAD RATING & SPEED RATINGS

PAGE 2

TAPER ROLLER & CYLINDRICAL ROLLER BEARING


shaft size	taper roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		cylindrical roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 PIECES			
1 7/16" (107)	32209	44062	44378	6,300		NJ2209EC3	36322	38218	9,000
108= 1 1/2"	32209	44062	44378	6300		NJ2209EC3	36322	38218	9000
111= 1 11/16"	32210	44962	45412	6,000		NJ2210EC3	39566	40466	8,500
45mm	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
112= 1 3/4"	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
114= 1 7/8"	32211	58000	58450	5,300		NJ2211EC3	53054	51628	7,500
115= 1 15/16"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
50mm	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
200= 2.00"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
203- 2 3/16"	32212	71938	69690	5,000		NJ2212EC3	68792	65644	6,700
204= 2 1/4"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
55mm	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
206= 2 3/8"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
207= 2 7/16"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6,000
208= 2 1/2"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
60mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
210= 2 5/8"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
65mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
211= 2 11/16"	32216	110156	102512	3,800		NJ2216EC3	110156	95318	5,300
70mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
212= 2 3/4"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
215= 2 15/16"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
75mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
300= 3.00"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
85mm	32220	197832	175350	3,000		NJ2220EC3	202328	170854	4,000
307+ 3 7/16"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
90mm	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
308= 3 1/2"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
311= 3 11/16"	32222	251786	220762	3,000		NJ2222EC3	233802	197832	3600
95mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
312= 3 3/4"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
315= 3 15/16"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
100mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
400= 4.00"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600



LOAD RATING & SPEED RATINGS

DEEP GROOVE & ANGLAR CONTACT BALL BEARINGS

shaft size	deep groove ball bearing available open and sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		angular contact ball bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 pieces			
1 7/16" (107)	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
108= 1 1/2"	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
111= 1 11/16"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
45mm	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
112= 1 3/4"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
114= 1 7/8"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
115= 1 15/16"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
50mm	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
200= 2.00"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
203- 2 3/16"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
204'= 2 1/4"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
55mm	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
206= 2 3/8"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
207= 2 7/16"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
208= 2 1/2"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
60mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
210= 2 5/8"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
65mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
211= 2 11/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
70mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
212= 2 3/4"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
215= 2 15/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
75mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
300= 3.00"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
85mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
307+ 3 7/16"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
90mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
308= 3 1/2"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
311= 3 11/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
95mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
312= 3 3/4"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
315= 3 15/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
100mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
400= 4.00"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000






BILLET STEEL
SQUARE FLANGE
BX-SF S-2000



Square Flange Bearing

BX-SF-XXX



SHAFT DIA.	ASSEMBLY DESIGNATION	TOTAL WEIGHT LBS.	A	B	C	D	E BOLT CIRCLE (1)	F	G BOLT Ø	H +.000 -.003	I	J	PIC
1 7/16"	BX-SF-107	7	6 1/4"	2 1/8"	2 7/8"	3 3/4"	5"	3/4"	3@1/2"	3.562	2 3/4"	4 21/64"	SQR.
1 1/2"	BX-SF-108		159mm	54mm	73mm	95mm	127mm	19mm	76@13mm		70mm	110mm	
1 11/16"	BX-SF-111	10.5	6 3/4"	2 1/8"	3"	4 1/8"	5 1/2"	3/4"	4@1/2"	4.062	2 7/8"	3 57/64"	SQR.
45mm	BX-SF-45MM		171mm	54mm	76mm	105mm	140mm	19mm	102@13mm		73mm	99mm	
1 3/4"	BX-SF-112												
1 7/8"	BX-SF-114	12	7"	2 3/8"	3"	4 1/2"	5 3/4"	3/4"	4@1/2"	4.375	2 7/8"	4 1/16"	SQR.
1 15/16"	BX-SF-115		178mm	60mm	76mm	114mm	146mm	19mm	102@13mm		73mm	103mm	
50mm	BX-SF-50MM												
2.00"	BX-SF-200												
2 3/16"	BX-SF-203	13.5	7 3/4"	2 3/8"	3 1/4"	5 1/8"	6 3/8"	3/4"	4@5/8"	5	3 1/8"	4 1/2"	SQR.
2 1/4"	BX-SF-204		197mm	60mm	83mm	130mm	162mm	19mm	102@16mm		79mm	114mm	
55mm	BX-SF-55MM												
2 3/8"	BX-SF-206												
2 7/16"	BX-SF-207	20	8 1/8"	2 5/8"	3 1/2"	5 7/8"	6 3/4"	15/16"	4@5/8"	5.437	3 3/8"	4 49/64"	SQR.
2 1/2"	BX-SF-208		206mm	67mm	89mm	149mm	171	24mm	102@16mm		86mm	121mm	
60mm	BX-SF-60MM												
2 5/8"	BX-SF-210												
65mm	BX-SF-65MM	27	9 1/2"	2 5/8"	3 7/8"	6 3/8"	7 7/8"	15/16"	4@3/4"	6.312	3 5/8"	5 9/16"	SQR.
2 11/16"	BX-SF-211		241mm	67mm	98mm	162mm	200mm	24mm	102@19mm		92mm	141mm	
70mm	BX-SF-70MM												
2 3/4"	BX-SF-212	26	9 1/2"	2 5/8"	3 7/8"	6 3/8"	7 7/8"	15/16"	4@3/4"	6.312	3 5/8"	5 9/16"	SQR.
2 15/16"	BX-SF-215		241mm	67mm	98mm	162mm	200mm	24mm	102@19mm		92mm	141mm	
75mm	BX-SF-75MM												
3.00"	BX-SF-300												
85mm	BX-SF-85MM	32	8 7/16"	3 3/16"	4 9/32"	7 3/8"	9 1/2"	11/8"	4@3/4"	7.375	4 19/32"	6 23/32"	SQR.
3 7/16"	BX-SF-307		214mm	81mm	109mm	187mm	241mm	35mm	102@19mm		117mm	171mm	
90mm	BX-SF-90MM												
3 1/2"	BX-SF-308	46	9 3/4"	3 3/8"	4 27/32"	8 3/8"	10 3/4"	11/8"	4@7/8"	8.5	4 19/32"	7 19/32"	SQR.
3 11/16"	BX-SF-311		248mm	86mm	123mm	213mm	273mm	35mm	102@22mm		117mm	193mm	
95mm	BX-SF-95MM												
3 3/4"	BX-SF-312												
3 15/16"	BX-SF-315												
100mm	BX-SF-100MM												
4.00"	BX-SF-400												
PHONE: (503)397-9721			EMAIL: sales@billetextreme.com					WEBSITE: www.billetextreme.com					



INTERCHANGE SQUARE FLANGE

SHAFT DIA.	PART #	WEIGHT (LBS)	JONES	REX	LINKBELT	DODGE	SKF	QM / TIMKEN
1 7/16"	BX-SF-107	7	JYR2107	ZB2107	FB22423H	F4R-S2-107R	FYR 1 7/16"	
1 1/2"	BX-SF-108	7	JYR2108	ZB2108	FB22424H	F4R-S2-108R	FYR 1 1/2"	
1 11/16"	BX-SF-111	10.5	JYR2111	ZB2111	FB22427H	F4R-S2-111R	FYR 1 11/16"	
45mm	BX-SF-45MM	10.5						
1 3/4"	BX-SF-112	10.5	JYR2112	ZB2112	FB22428H	F4R-S2-112R	FYR 1 3/4"	
1 7/8"	BX-SF-114	12						
1 15/16"	BX-SF-115	12	JYR2115	ZB2115	FB22431H	F4R-S2-115R	FYR 1 15/16"	QAFY10A115ST
50mm	BX-SF-50MM	12						
2.00"	BX-SF-200	12	JYR2200	ZB2200	FB22432H	F4R-S2-200R	FYR 2"	QAFY10A200ST
2 3/16"	BX-SF-203	13.5	JYR2203	ZB2203	FB22435H	F4R-S2-203R	FYR 2 3/16"	QAFY11A203ST
2 1/4"	BX-SF-204	13.5						
55mm	BX-SF-55MM	13.5						
2 3/8"	BX-SF-206	13.5						
2 7/16"	BX-SF-207	20	JYR2207	ZB2207	FB22439H	F4R-S2-207R	FYR 2 7/16"	QAFY13A207ST
2 1/2"	BX-SF-208	20	JYR2208	ZB2208	FB22440H	F4R-S2-208R	FYR 2 1/2"	QAFY13A208ST
60mm	BX-SF-60MM	20						
2 5/8"	BX-SF-210	20						
65mm	BX-SF-65MM	20						
2 11/16"	BX-SF-211	27	JYR2211	ZB2211	FB22443H	F4R-S2-211R	FYR 2 11/16"	QAFY15A211ST
70mm	BX-SF-70MM	27						
2 3/4"	BX-SF-212	27	JYR2212	ZB2212	FB22444H	F4R-S2-212R	FYR 2 3/4"	QAFY15A212ST
2 15/16"	BX-SF-215	26	JYR2215	ZB2215	FB22447H	F4R-S2-215R	FYR 2 15/16"	QAFY15A215ST
75mm	BX-SF-75MM	26						
3.00"	BX-SF-300	26	JYR2300	ZB2300	FB22448H	F4R-S2-300R	FYR 3"	QAFY15A300ST
85mm	BX-SF-85MM	26						
3 7/16"	BX-SF-307	32	JYR2307	ZB2307	FB22455H		FYR 3 7/16"	QAFY18A307
90mm	BX-SF-90MM	32						
3 1/2"	BX-SF-308	32	JYR2308	ZB2308				QAFY18A308
3 11/16"	BX-SF-311	46	JYR2311	ZB2311				
95mm	BX-SF-95MM	46						
3 3/4"	BX-SF-312	46						
3 15/16"	BX-SF-315	46	JYR2315	ZB2315				QAFY20A315ST
100mm	BX-SF-100MM	46						
4.00"	BX-SF-400	46	JYR2400	ZB2400				QAFY20A400ST
4 7/16"		98	JYR5407					
4 15/16"		145	JYR5415					
PHONE: (503)397-9721			EMAIL: sales@billetextreme.com			WEBSITE: www.billetextreme.com		



LOAD RATING & SPEED RATINGS

PAGE 1

SPHERICAL ROLLER & SELF ALIGNING DOUBLE ROW BALL BEARING

shaft size	spherical roller bearing available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM	self aligning double row ball available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 pieces				2 pieces			
1 7/16" (107)	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
108= 1 1/2"	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
111= 1 11/16"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
45mm	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
112= 1 3/4"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
114= 1 7/8"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
115= 1 15/16"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
50mm	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
200= 2.00"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
203= 2 3/16"	22212E	74,636	71,490	5,600	2212C3	7,644	21,942	8,000
204= 2 1/4"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
55mm	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
206= 2 3/8"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
207= 2 7/16"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
208= 2 1/2"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
60mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
210= 2 5/8"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
65mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
211= 2 11/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
70mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
212= 2 3/4"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
215= 2 15/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
75mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
300= 3.00"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
85mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
307+ 3 7/16"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
90mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
308= 3 1/2"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
311= 3 11/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
95mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
312= 3 3/4"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
315= 3 15/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
100mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
400= 4.00"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300



LOAD RATING & SPEED RATINGS

PAGE 2

TAPER ROLLER & CYLINDRICAL ROLLER BEARING


shaft size	taper roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		cylindrical roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 PIECES			
1 7/16" (107)	32209	44062	44378	6,300		NJ2209EC3	36322	38218	9,000
108= 1 1/2"	32209	44062	44378	6300		NJ2209EC3	36322	38218	9000
111= 1 11/16"	32210	44962	45412	6,000		NJ2210EC3	39566	40466	8,500
45mm	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
112= 1 3/4"	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
114= 1 7/8"	32211	58000	58450	5,300		NJ2211EC3	53054	51628	7,500
115= 1 15/16"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
50mm	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
200= 2.00"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
203- 2 3/16"	32212	71938	69690	5,000		NJ2212EC3	68792	65644	6,700
204= 2 1/4"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
55mm	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
206= 2 3/8"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
207= 2 7/16"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6,000
208= 2 1/2"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
60mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
210= 2 5/8"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
65mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
211= 2 11/16"	32216	110156	102512	3,800		NJ2216EC3	110156	95318	5,300
70mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
212= 2 3/4"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
215= 2 15/16"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
75mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
300= 3.00"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
85mm	32220	197832	175350	3,000		NJ2220EC3	202328	170854	4,000
307+ 3 7/16"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
90mm	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
308= 3 1/2"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
311= 3 11/16"	32222	251786	220762	3,000		NJ2222EC3	233802	197832	3600
95mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
312= 3 3/4"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
315= 3 15/16"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
100mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
400= 4.00"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600



LOAD RATING & SPEED RATINGS

DEEP GROOVE & ANGLAR CONTACT BALL BEARINGS

shaft size	deep groove ball bearing available open and sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		angular contact ball bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 pieces			
1 7/16" (107)	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
108= 1 1/2"	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
111= 1 11/16"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
45mm	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
112= 1 3/4"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
114= 1 7/8"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
115= 1 15/16"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
50mm	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
200= 2.00"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
203- 2 3/16"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
204'= 2 1/4"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
55mm	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
206= 2 3/8"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
207= 2 7/16"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
208= 2 1/2"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
60mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
210= 2 5/8"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
65mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
211= 2 11/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
70mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
212= 2 3/4"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
215= 2 15/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
75mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
300= 3.00"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
85mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
307+ 3 7/16"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
90mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
308= 3 1/2"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
311= 3 11/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
95mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
312= 3 3/4"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
315= 3 15/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
100mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
400= 4.00"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000






BILLET STEEL
ROUND FLANGE
BX-RF S-2000



4BOLT ROUND FLANGE

BX-RF-XXX



SHAFT DIA.	ASSEMBLY DESIGNATION	TOTAL WEIGHT LBS.	A	B	C	D	E BOLT CIRCLE (1)	F	G BOLT Ø	H +.000 -.003	I	J	PIC
1 7/16"	BX-RF-107	7	6 1/4"	2 1/8"	2 7/8"	3 3/4"	5"	3/4"	3 Ø1/2"	3.562	2 3/4"	4 21/64"	RND.
1 1/2"	BX-RF-108		159mm	54mm	73mm	95mm	127mm	19mm	76 Ø 13mm		70mm	110mm	
1 11/16"	BX-RF-111	10.5	6 3/4" 171mm	2 1/8" 54mm	3" 76mm	4 1/8" 105mm	5 1/2" 140mm	3/4" 19mm	4 Ø 1/2"	4.062	2 7/8" 73mm	3 57/64" 99mm	RND.
45mm	BX-RF-45MM								102 Ø 13mm				
1 3/4"	BX-RF-112								13mm				
1 7/8"	BX-RF-114	12	7" 178mm	2 3/8" 60mm	3" 76mm	4 1/2" 114mm	5 3/4" 146mm	3/4" 19mm	4 Ø 1/2"	4.375	2 7/8" 73mm	4 1/16" 103mm	RND.
1 15/16"	BX-RF-115								102 Ø 13mm				
50mm	BX-RF-50MM												
2.00"	BX-RF-200												
2 3/16"	BX-RF-203	13.5	7 3/4" 197mm	2 3/8" 60mm	3 1/4" 83mm	5 1/8" 130mm	6 3/8" 162mm	3/4" 19mm	4 Ø 5/8"	5	3 1/8" 79mm	4 1/2" 114mm	RND.
2 1/4"	BX-RF-204								102 Ø 16mm				
55mm	BX-RF-55MM												
2 3/8"	BX-RF-206												
2 7/16"	BX-RF-207	20	8 1/8" 206mm	2 5/8" 67mm	3 1/2" 89mm	5 7/8" 149mm	6 3/4" 171	15/16" 24mm	4 Ø 5/8"	5.437	3 3/8" 86mm	4 49/64" 121mm	RND.
2 1/2"	BX-RF-208								102 Ø 16mm				
60mm	BX-RF-60MM												
2 5/8"	BX-RF-210												
65mm	BX-RF-65MM	27	9 1/2" 241mm	2 5/8" 67mm	3 7/8" 98mm	6 3/8" 162mm	7 7/8" 200mm	15/16" 24mm	4 Ø 3/4"	6.312	3 5/8" 92mm	5 9/16" 141mm	RND.
2 11/16"	BX-RF-211								102 Ø 19mm				
70mm	70MM												
2 3/4"	BX-RF-212	26	9 1/2" 241mm	2 5/8" 67mm	3 7/8" 98mm	6 3/8" 162mm	7 7/8" 200mm	15/16" 24mm	4 Ø 3/4"	6.312	3 5/8" 92mm	5 9/16" 141mm	RND.
2 15/16"	BX-RF-215								102 Ø 19mm				
75mm	BX-RF-75MM												
3.00"	BX-RF-300												
85mm	BX-RF-85MM	40	11 1/8" 283mm	3 3/16" 81mm	4 9/32" 109mm	7 3/8" 187mm	9 1/2" 241mm	11/8" 35mm	4 Ø 3/4"	7.375	4 1/32" 102mm	6 23/32" 171mm	RND.
3 7/16"	BX-RF-307								102 Ø 19mm				
90mm	BX-RF-90MM												
3 1/2"	BX-RF-308	55	12 5/8" 321mm	3 3/8" 86mm	4 27/32" 123mm	8 3/8" 213mm	10 3/4" 273mm	11/8" 35mm	4 Ø 7/8" 102 Ø 22mm	8.5	4 19/32" 117mm	7 19/32" 193mm	RND.
3 11/16"	BX-RF-311												
95mm	BX-RF-95MM												
3 3/4"	BX-RF-312												
3 15/16"	BX-RF-315												
100mm	BX-RF-100MM												
4.00"	BX-RF-400	PHONE: (503)397-9721		EMAIL: sales@billetextreme.com				WEBSITE: billetextreme.com					



INTERCHANGE

ROUND FLANGE

SHAFT DIA.	PART #	WEIGHT (LBS)	JONES	REX	LINKBELT	DODGE	SKF	QM / TIMKEN
1 7/16"	BX-RF-107	7	JYR2107	ZB2107	FB22423H	F4R-S2-107R	FYR 1 7/16"	QAFY08A107SB
1 1/2"	BX-RF-108	7	JYR2108	ZB2108	FB22424H	F4R-S2-108R	FYR 1 1/2"	QAFY08A108SB
1 11/16"	BX-RF-111	10.5	JYR2111	ZB2111	FB22427H	F4R-S2-111R	FYR 1 11/16"	QAFY09A111SB
45mm	BX-RF-45MM	10.5						QAFY09A045SB
1 3/4"	BX-RF-112	10.5	JYR2112	ZB2112	FB22428H	F4R-S2-112R	FYR 1 3/4"	QAFY09A112SB
1 7/8"	BX-RF-114	12						
1 15/16"	BX-RF-115	12	JYR2115	ZB2115	FB22431H	F4R-S2-115R	FYR 1 15/16"	QAFY10A115SB
50mm	BX-RF-50MM	12						QAFY10A050SB
2.00"	BX-RF-200	12	JYR2200	ZB2200	FB22432H	F4R-S2-200R	FYR 2"	QAFY10A200SB
2 3/16"	BX-RF-203	13.5	JYR2203	ZB2203	FB22435H	F4R-S2-203R	FYR 2 3/16"	QAFY11A203SB
2 1/4"	BX-RF-204	13.5						QAFY11A204SB
55mm	BX-RF-55MM	13.5						QAFY11A055SB
2 3/8"	BX-RF-206	13.5						QAFY13A206SB
2 7/16"	BX-RF-207	20	JYR2207	ZB2207	FB22439H	F4R-S2-207R	FYR 2 7/16"	QAFY13A207SB
2 1/2"	BX-RF-208	20	JYR2208	ZB2208	FB22440H	F4R-S2-208R	FYR 2 1/2"	QAFY13A208SB
60mm	BX-RF-60MM	20						QAFY13A060SB
2 5/8"	BX-RF-210	20						
65mm	BX-RF-65MM	20						QAFY13A065SB
2 11/16"	BX-RF-211	27	JYR2211	ZB2211	FB22443H	F4R-S2-211R	FYR 2 11/16"	QAFY15A211SB
70mm	BX-RF-70MM	27						QAFY15A070SB
2 3/4"	BX-RF-212	27	JYR2212	ZB2212	FB22444H	F4R-S2-212R	FYR 2 3/4"	QAFY15A212SB
2 15/16"	BX-RF-215	26	JYR2215	ZB2215	FB22447H	F4R-S2-215R	FYR 2 15/16"	QAFY15A215SB
75mm	BX-RF-75MM	26						QAFY15A075SB
3.00"	BX-RF-300	26	JYR2300	ZB2300	FB22448H	F4R-S2-300R	FYR 3"	QAFY15A300SB
85mm	BX-RF-85MM	26						QAFY18A085SB
3 7/16"	BX-RF-307	40	JYR2307	ZB2307	FB22455H		FYR 3 7/16"	QAFY18A307SB
90mm	BX-RF-90MM	40						QAFY18A090SB
3 1/2"	BX-RF-308	40	JYR2308	ZB2308				QAFY18A308SB
3 11/16"	BX-RF-311	55	JYR2311	ZB2311				QAFY20A311SB
95mm	BX-RF-95MM	55						
3 3/4"	BX-RF-312	55						QAFY20A312SB
3 15/16"	BX-RF-315	55	JYR2315	ZB2315				QAFY20A315SB
100mm	BX-RF-100MM	55						QAFY20A100SB
4.00"	BX-RF-400	55	JYR2400	ZB2400				QAFY20A400SB
4 7/16"		98	JYR5407					
4 15/16"		145	JYR5415					
PHONE: (503)397-9721			EMAIL: sales@billetextreme.com			WEBSITE: www.billetextreme.com		



LOAD RATING & SPEED RATINGS

PAGE 1

SPHERICAL ROLLER & SELF ALIGNING DOUBLE ROW BALL BEARING

shaft size	spherical roller bearing available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM	self aligning double row ball available open or sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 pieces				2 pieces			
1 7/16" (107)	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
108= 1 1/2"	22209E	44,962	46,670	7,500	2209C3	4,766	14,612	10,000
111= 1 11/16"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
45mm	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
112= 1 3/4"	22210E	48,558	48,110	7,000	2210C3	5,036	15,198	9,500
114= 1 7/8"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
115= 1 15/16"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
50mm	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
200= 2.00"	22211E	57,102	58,000	6,300	2211C3	6,024	17,536	8,500
203= 2 3/16"	22212E	74,636	71,490	5,600	2212C3	7,644	21,942	8,000
204= 2 1/4"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
55mm	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
206= 2 3/8"	22212E	48,558	71,490	5,600	2212C3	7,644	21,942	8,000
207= 2 7/16"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
208= 2 1/2"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
60mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
210= 2 5/8"	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
65mm	22214E	102,512	95,768	5,000	2214C3	7,644	19,874	6,700
211= 2 11/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
70mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
212= 2 3/4"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
215= 2 15/16"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
75mm	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
300= 3.00"	22216E	121,396	109,258	4,300	2216C3	11,416	29,226	6,000
85mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
307+ 3 7/16"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
90mm	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
308= 3 1/2"	22220E	220,312	194,684	3,400	2220C3	18,210	43,838	4,800
311= 3 11/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
95mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
312= 3 3/4"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
315= 3 15/16"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
100mm	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300
400= 4.00"	22222E	287,756	257,182	3,000	2222C3	23,380	55,752	4,300



LOAD RATING & SPEED RATINGS

PAGE 2

TAPER ROLLER & CYLINDRICAL ROLLER BEARING

shaft size	taper roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		cylindrical roller bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 PIECES			
1 7/16" (107)	32209	44062	44378	6,300		NJ2209EC3	36322	38218	9,000
108= 1 1/2"	32209	44062	44378	6300		NJ2209EC3	36322	38218	9000
111= 1 11/16"	32210	44962	45412	6,000		NJ2210EC3	39566	40466	8,500
45mm	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
112= 1 3/4"	32210	44962	45412	6000		NJ2210EC3	39566	40466	8500
114= 1 7/8"	32211	58000	58450	5,300		NJ2211EC3	53054	51628	7,500
115= 1 15/16"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
50mm	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
200= 2.00"	32211	58000	58450	5300		NJ2211EC3	53054	51628	7500
203- 2 3/16"	32212	71938	69690	5,000		NJ2212EC3	68792	65644	6,700
204= 2 1/4"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
55mm	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
206= 2 3/8"	32212	71938	69690	5000		NJ2212EC3	68792	65644	6700
207= 2 7/16"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6,000
208= 2 1/2"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
60mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
210= 2 5/8"	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
65mm	32214	93520	87676	4300		NJ2214EC3	86776	80932	6000
211= 2 11/16"	32216	110156	102512	3,800		NJ2216EC3	110156	95318	5,300
70mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
212= 2 3/4"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
215= 2 15/16"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
75mm	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
300= 3.00"	32216	110156	102512	3800		NJ2216EC3	110156	95318	5300
85mm	32220	197832	175350	3,000		NJ2220EC3	202328	170854	4,000
307+ 3 7/16"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
90mm	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
308= 3 1/2"	32220	197832	175350	3000		NJ2220EC3	202328	170854	4000
311= 3 11/16"	32222	251786	220762	3,000		NJ2222EC3	233802	197832	3600
95mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
312= 3 3/4"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
315= 3 15/16"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
100mm	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600
400= 4.00"	32222	251786	220762	3000		NJ2222EC3	233802	197832	3600



LOAD RATING & SPEED RATINGS

DEEP GROOVE & ANGLAR CONTACT BALL BEARINGS

shaft size	deep groove ball bearing available open and sealed	static load lbf.	dynamic load lbf.	limiting speed with grease RPM		angular contact ball bearing open only	static load lbf.	dynamic load lbf.	limiting speed with grease RPM
	2 PIECES					2 pieces			
1 7/16" (107)	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
108= 1 1/2"	6209/62209	9,712	15,782	11,000		7209BECBM	12,814	17,086	9,500
111= 1 11/16"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
45mm	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
112= 1 3/4"	6210/62210	10,432	16,680	10,000		7210BECBM	13,938	17,984	9,000
114= 1 7/8"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
115= 1 15/16"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
50mm	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
200= 2.00"	6211/62211	13,038	20,772	9,000		7211BECBM	17,984	22,032	8,000
203- 2 3/16"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
204'= 2 1/4"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
55mm	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
206= 2 3/8"	6212/62212	16,186	24,864	8,000		7212BECBM	22,480	27,426	7,000
207= 2 7/16"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
208= 2 1/2"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
60mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
210= 2 5/8"	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
65mm	6214/62214	20,232	28,640	7,000		7214BECBM	26,978	32,372	6,300
211= 2 11/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
70mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
212= 2 3/4"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
215= 2 15/16"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
75mm	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
300= 3.00"	6216/62216	24,728	32,732	6,000		7216BECBM	33,722	38,218	5,600
85mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
307+ 3 7/16"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
90mm	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
308= 3 1/2"	6220/62220	41,814	57,102	4,800		7220BECBM	60,248	64,296	4,300
311= 3 11/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
95mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
312= 3 3/4"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
315= 3 15/16"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
100mm	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000
400= 4.00"	6222/62222	53,054	67,892	4,300		7222BECBM	70,140	73,288	4,000